



## Bangle Bracelet

### Supplies

- 16 Gauge Wire
- 20 Gauge Wire
- 26 Gauge Wire
- 4mm Crystal Bead Strands
- 4mm Pearl Bead Strands

### Directions

1. Cut 16 gauge wire into approximately an 11 inch piece and mark 2 inches in from each end.
2. Start on one end and create a spiral until you reach the mark you made 2 inches in from the end.
3. Start a spiral on the opposite end creating the spiral in the opposite direction of the first spiral until you reach the mark you made 2 inches in from the end.
4. Break the neck.
5. Cut 20 gauge wire into approximately a 2 to 3 foot length.
6. Starting at one end of the 16 gauge wire base. Wrap the wire a few times to secure the beginning wrap in 4 to 5 bundles going from one side to the other. This layer needs to be wrapped loosely. Secure the other end by wrapping around a few times to secure the wire.
7. Cut 26 gauge wire into a 3 foot length start at one end of the base piece and secure wire by wrapping a few times. Begin to add beads from the crystal and pearl strands a few at a time. This layer needs to be wrapped tightly. Continue to add beads as you prefer. Wrap all the way to the opposite end you started with and then turn around by wrapping a few times and continue to add beads until you reach the end where you started. Use as many or as few beads as you like.
8. Form your bracelet around a mandrel or your wrist.